

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(display adj electrodes and conductors and data adj electrodes and dielectric adj layer and distance adj between adj scan adj electrode\$2).clm.	US-PGPUB; USPAT	OR	OFF	2005/08/22 10:29
L2	0	(display adj electrodes and conductors and data adj electrodes and dielectric adj layer and distance adj between adj scan adj electrode\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:29
L3	465698	plasma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:29
L4	4737	data adj electrode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:30
L5	879037	conductor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:30
L6	209	3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/22 10:30